



# HIGH TEMPERATURE TUBE

Original Equipment Quality (ISO9001:2015 / TS16949 Compliant)



## HIGH TEMPERATURE TUBE



Snap Lock Type

Length : 96 mm

Part No.:	Colour/ Material:	Application:
<b>PT1BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,200pcs



Snap Lock Type

Length :102.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT2BP</b>	Black/ PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length :104.4 mm

Part No.:	Colour/ Material:	Application:
<b>PT3BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 900pcs



Snap Lock Type

Length : 109 mm

Part No.:	Colour/ Material:	Application:
<b>PT4BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 900pcs



Snap Lock Type

Length : 112 mm

Part No.:	Colour/ Material:	Application:
<b>PT5BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 900pcs



Snap Lock Type

Length : 117.2 mm

Part No.:	Colour/ Material:	Application:
<b>PT6BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT7, PT9

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 117.2 mm

Part No.:	Colour/ Material:	Application:
<b>PT7BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT6, PT9

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 117.2 mm

Part No.:	Colour/ Material:	Application:
<b>PT8BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT10

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 117.2 mm

Part No.:	Colour/ Material:	Application:
<b>PT9BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT6, PT7

Qty per Carton: 1,200pcs

## HIGH TEMPERATURE TUBE



Snap Lock Type

Length : 117 mm

Part No.:	Colour/ Material:	Application:
<b>PT10BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT8

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 123.3 mm

Part No.:	Colour/ Material:	Application:
<b>PT11BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 123.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT12BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 129.3 mm

Part No.:	Colour/ Material:	Application:
<b>PT13BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm  Remarks: Same as PT8

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 130.6 mm

Part No.:	Colour/ Material:	Application:
<b>PT14BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 136 mm

Part No.:	Colour/ Material:	Application:
<b>PT15BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 141 mm

Part No.:	Colour/ Material:	Application:
<b>PT16BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 900pcs



Snap Lock Type

Length : 133.8 mm

Part No.:	Colour/ Material:	Application:
<b>PT17BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,000pcs



Snap Lock Type

Length : 115 mm

Part No.:	Colour/ Material:	Application:
<b>PT18BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,200pcs

## HIGH TEMPERATURE TUBE



Snap Lock Type

Length : 118 mm

Part No.:	Colour/ Material:	Application:
<b>PT19BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 159.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT20BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 800pcs



Snap Lock Type

Length : 90 mm

Part No.:	Colour/ Material:	Application:
<b>PT21BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 66 mm

Part No.:	Colour/ Material:	Application:
<b>PT22BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 2,000pcs



Snap Lock Type

Length : 60 mm

Part No.:	Colour/ Material:	Application:
<b>PT23BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 2,000pcs



Snap Lock Type

Length : 113 mm

Part No.:	Colour/ Material:	Application:
<b>PT24BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 1,200pcs



Snap Lock Type

Length : 195.8 mm

Part No.:	Colour/ Material:	Application:
<b>PT25BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 500pcs



Snap Lock Type

Length : 213 mm

Part No.:	Colour/ Material:	Application:
<b>PT26BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 500pcs



Snap Lock Type

Length : 230.3 mm

Part No.:	Colour/ Material:	Application:
<b>PT27BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 500pcs



## HIGH TEMPERATURE TUBE



5mm Reverse Fit

Length : 157 mm

Part No.:	Colour/ Material:	Application:
<b>PT28BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 9.80 mm

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 158.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT29BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 21.00 mm

Qty per Carton: 800pcs



5mm Reverse Fit

Length : 153.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT30BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 800pcs



5mm Reverse Fit

Length : 136.6 mm

Part No.:	Colour/ Material:	Application:
<b>PT31BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 13.50 mm

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 79mm

Part No.:	Colour/ Material:	Application:
<b>PT32BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 11.80 mm

Ref.: R2 -23/10/2012

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 108 mm

Part No.:	Colour/ Material:	Application:
<b>PT33BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 6.00 mm

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 165.70mm

Part No.:	Colour/ Material:	Application:
<b>PT34BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 500pcs



5mm Reverse Fit

Length : 101mm

Part No.:	Colour/ Material:	Application:
<b>PT35BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 19.50 mm

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 182.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT36BP</b>	Black / PBT	For use with 16V Boots and 16V Caps 7-8mm Tube  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 500pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 155 mm

Part No.:	Colour/ Material:	Application:
<b>PT37BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  7-8mm Tube  Recommended Terminal P90T  Length from tip of tube to terminal 20.00 mm

Qty per Carton: 500pcs



Twist Lock Type

Length : 136 mm

Part No.:	Colour/ Material:	Application:
<b>PT38BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  7-8mm Tube  Recommended Terminal P90T

Qty per Carton: 500pcs



Twist Lock Type

Length : 200 mm

Part No.:	Colour/ Material:	Application:
<b>PT40BP</b>	Black / PBT	For use with 16V Boots and 16V Caps 7-8mm Tube  Recommended Terminal P90T  Length from tip of tube to terminal 15.50 mm

Qty per Carton: 500pcs



Twist Lock Type

Length : 129.2 mm

Part No.:	Colour/ Material:	Application:
<b>PT41BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 700pcs



Twist Lock Type

Length : 107.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT42BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 700pcs



Twist Lock Type

Length : 133.6 mm

Part No.:	Colour/ Material:	Application:
<b>PT43BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 700pcs



5mm Reverse Fit

Length : 140 mm

Part No.:	Colour/ Material:	Application:
<b>PT44BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 750pcs



Twist Lock Type

Length : 151.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT45BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 157.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT46BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 15.50 mm

Qty per Carton: 750pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 122.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT47BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,200pcs



Twist Lock Type

Length : 102mm

Part No.:	Colour/ Material:	Application:
<b>PT48BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 133.6 mm

Part No.:	Colour/ Material:	Application:
<b>PT49BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 15.50 mm

Qty per Carton: 750pcs



Twist Lock Type

Length : 105 mm

Part No.:	Colour/ Material:	Application:
<b>PT50BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 106 mm

Part No.:	Colour/ Material:	Application:
<b>PT51BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,200pcs



Twist Lock Type

Length : 107 mm

Part No.:	Colour/ Material:	Application:
<b>PT52BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 120 mm

Part No.:	Colour/ Material:	Application:
<b>PT53BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 121.4 mm

Part No.:	Colour/ Material:	Application:
<b>PT54BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 125.7 mm

Part No.:	Colour/ Material:	Application:
<b>PT55BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 1,000pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 182.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT56BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 800pcs



Snap Lock Type

Length : 193.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT57BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P28T  Length from tip of tube to terminal 11.50 mm

Qty per Carton: 600pcs



Snap Lock Type

Length : 179 mm

Part No.:	Colour/ Material:	Application:
<b>PT58BP</b>	Black / PBT	For use with PS137 and PS136 Seal Caps  7 - 8mm cable  Recommended Terminal P17T or P28T  for Renault, Proton Savvy

Qty per Carton: 600pcs



Twist Lock Type

Length : 137.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT59BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  for Hyundai  Recommended Terminal P90T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 251mm

Part No.:	Colour/ Material:	Application:
<b>PT60BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 400pcs



Twist Lock Type

Part No.:	Colour/ Material:	Application:
<b>PT62BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 138mm

Part No.:	Colour/ Material:	Application:
<b>PT63BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 115.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT64BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 110 mm

Part No.:	Colour/ Material:	Application:
<b>PT65BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 143 mm

Part No.:	Colour/ Material:	Application:
<b>PT66BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 141.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT67BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 152.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT68BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 750pcs



Reverse Fit

Length : 135.30 mm

Part No.:	Colour/ Material:	Application:
<b>PT69BP</b>	Black / PBT	For use with 16V Boots and 16V Caps

Qty per Carton: 800pcs



Reverse Fit

Length : 242 mm

Part No.:	Colour/ Material:	Application:
<b>PT70BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  for Chery

Qty per Carton: 400pcs



Snap Lock Type

Length : 179 mm

Part No.:	Colour/ Material:	Application:
<b>PT71BP</b>	Black / PBT	For use with PS138 and PS136 Seal Caps  7 - 8mm cable  Recommended Terminal P53T  for Renault, Proton Savvy

Qty per Carton: 400pcs



5mm Reverse Fit

Length : 146.70 mm

Part No.:	Colour/ Material:	Application:
<b>PT72BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  5mm Tube  Recommended Terminal P120T  Length from tip of tube to terminal 18.50 mm

Qty per Carton: 750pcs



5mm Reverse Fit

Length : 146 mm

Part No.:	Colour/ Material:	Application:
<b>PT73BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 750pcs



Twist Lock Type

Length : 167 mm

Part No.:	Colour/ Material:	Application:
<b>PT74BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 500pcs



## HIGH TEMPERATURE TUBE



5mm Reverse Fit

Length : 137.7 mm

Part No.:	Colour/ Material:	Application:
<b>PT75BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 750pcs



Twist Lock Type

Length : 200.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT76BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 500pcs



Twist Lock Type

Length : 177 mm

Part No.:	Colour/ Material:	Application:
<b>PT77BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 500pcs



Twist Lock Type

Length : 130.4 mm

Part No.:	Colour/ Material:	Application:
<b>PT78BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 800pcs



Twist Lock Type

Length : 135mm

Part No.:	Colour/ Material:	Application:
<b>PT79BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 800pcs



Twist Lock Type

Length : 91 mm

Part No.:	Colour/ Material:	Application:
<b>PT80BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,400pcs



Twist Lock Type

Length : 107 mm

Part No.:	Colour/ Material:	Application:
<b>PT81BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



5mm Reverse Fit

Length : 121.5 mm

Part No.:	Colour/ Material:	Application:
<b>PT82BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 107 mm

Part No.:	Colour/ Material:	Application:
<b>PT83BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,200pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 131 mm

Part No.:	Colour/ Material:	Application:
<b>PT84BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 700pcs



5mm Reverse Fit

Length : 128 mm

Part No.:	Colour/ Material:	Application:
<b>PT85BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 750pcs



Twist Lock Type

Length : 119 mm

Part No.:	Colour/ Material:	Application:
<b>PT86BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton:



5mm Reverse Fit

Length : 97.30 mm

Part No.:	Colour/ Material:	Application:
<b>PT87BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 116.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT88BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 105 mm

Part No.:	Colour/ Material:	Application:
<b>PT89BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 79.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT90BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,400pcs



Twist Lock Type

Length : 112 mm

Part No.:	Colour/ Material:	Application:
<b>PT91BP</b>	White / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 1,000pcs



5mm Reverse Fit

Length : 144 mm

Part No.:	Colour/ Material:	Application:
<b>PT92BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 750pcs

## HIGH TEMPERATURE TUBE



5mm Reverse Fit

Length : 77 mm

Part No.:	Colour/ Material:	Application:
<b>PT93BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 1,400pcs



Twist Lock Type

Length : 121.9mm

Part No.:	Colour/ Material:	Application:
<b>PT94BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 118 mm

Part No.:	Colour/ Material:	Application:
<b>PT95BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 114.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT96BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 122.30mm

Part No.:	Colour/ Material:	Application:
<b>PT97BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 107.50 mm

Part No.:	Colour/ Material:	Application:
<b>PT98BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



Twist Lock Type

Length : 113.40 mm

Part No.:	Colour/ Material:	Application:
<b>PT99BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 900pcs



5mm Reverse Fit

Length : 137 mm

Part No.:	Colour/ Material:	Application:
<b>PT100BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 700pcs



5mm Reverse Fit

Length : 136 mm

Part No.:	Colour/ Material:	Application:
<b>PT101BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 700pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 132 mm

Part No.:	Colour/ Material:	Application:
<b>PT102BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T


Qty per Carton: 700pcs



Length : 110 mm

Part No.:	Colour/ Material:	Application:
<b>PT103BP</b>	Black / PBT	For use with 16V Boots and 16V Caps

Qty per Carton: 900pcs



66 mm

Part No.:	Colour/ Material:	Application:
<b>PT104BP</b>	Black / PBT	For use with 753 Boot

Qty per Carton: 1,400pcs



Twist Lock Type

Length : 129mm

Part No.:	Colour/ Material:	Application:
<b>PT105BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 800 pcs



5mm Reverse Fit

Length : 135mm

Part No.:	Colour/ Material:	Application:
<b>PT106BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T

Qty per Carton: 700pcs



Twist Lock Type

Length : 143.50mm

Part No.:	Colour/ Material:	Application:
<b>PT107BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 750pcs



5mm Reverse Fit

Length : 79mm

Part No.:	Colour/ Material:	Application:
<b>PT108BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P120T  Similar PT32BP for CH

Qty per Carton: 1,000pcs



Twist Lock Type

Length : 135mm

Part No.:	Colour/ Material:	Application:
<b>PT109BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 700pcs



Twist Lock Type

Length : 133mm

Part No.:	Colour/ Material:	Application:
<b>PT110BP</b>	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T

Qty per Carton: 700pcs

## HIGH TEMPERATURE TUBE



Twist Lock Type

Length : 146.50 mm

Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT111BP	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal P90T		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal

Qty per Carton: 750pcs

Qty per Carton:

Qty per Carton:

Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal

Qty per Carton:

Qty per Carton:

Qty per Carton:

Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
	Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal		Black / PBT	For use with 16V Boots and 16V Caps  Recommended Terminal

Qty per Carton:

Qty per Carton:

Qty per Carton:



*PROTEC.*