IGNITION WIRES

Original Equipment Quality (ISO9001:2015 / TS16949 Compliant)

IGNITION WIRES



Part No.:
P5CDTPEB

Description:
Colour: Black
Wire OD: 5.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Nylon Tape
Core: Carbon core
Resistance: 3000Ω/ft
(9840 Ω/m) ±10%

Qty Per Reel: 20,000 ft

Part No.:
P5MDTPEB

Description:
Colour: Black
Wire OD: 5.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Nylon Tape
Core: Maglite core
Resistance: 1200Ω/ft
(3936 Ω/m) ±10%

Qty Per Reel: 20,000 ft

Part No.:
P7CDTEEB

Description:
Colour: Black
Wire OD: 7.0mm
Outer jacket: EPDM
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500 - 5000 Ω/ft
(8202 - 16,404 Ω/m)

Qty Per Reel: 10,000 ft

Part No.:
P7MDTSSB_1200

Description:
Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Nylon Tape**Core:** Wire wound
Resistance: 1080 - 1320 Ω/ft
(3542 - 4330 Ω/m)

Qty Per Reel: 10,000 ft

Part No.:
P7SDBSSB

Description:
Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ Braided
Core: Silicone Coated Core
Resistance: 5000 Ω/ft
(16400 Ω/m)±10%

Qty Per Reel: 10,000 ft

Part No.:
P7TDTSEB

Description:
Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation:EPDM/ DE/ Tape
Core: Tinned copper
Resistance: N/A

Qty Per Reel: 10,000 ft

IGNITION WIRES

Part No.:

P7MDTSEB_350

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation:EPDM/ DE/ Tape
Core: Wire wound
Resistance: 350 **Ω**/ft
(1148**Ω**/m)±10%

Qty Per Reel: 10,000 ft

Part No.:

P8CDTPEL

Description:

Colour: Blue
Wire OD: 8.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500-5000 **Ω**/ft
(8200-16,400 **Ω**/m)

Qty Per Reel: 8,000 ft

Part No.:

P8CDTPEY

Description:

Colour: Yellow
Wire OD: 8.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500 - 5000 **Ω**/ft
(8200 - 16400**Ω**/m)

Qty Per Reel: 8,000 ft

Part No.:

P8CDTEER

Description:

Colour: Red
Wire OD: 8.0mm
Outer jacket: EPDM
Inner insulation: EPDM / DE / Tape
Core: Carbon core
Resistance: 2500-5000 **Ω**/ft
(8202-16,404 **Ω**/m)

Qty Per Reel: 8,000 ft

Part No.:

P8MDBSSR

Description:

Colour: Red
Wire OD: 8.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Braided
Core: Wire Wound
Resistance:1200 **Ω** /ft
(3936**Ω**/m)±10%

Qty Per Reel: 8,000 ft

Part No.:

P8MDBSSB

Description:

Colour: Black
Wire OD: 8.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Braided
Core: Wire wound
Resistance: 1000 **Ω**/ft
(3281 **Ω**/m) ±10%

Qty Per Reel: 8,000 ft

Part No.:	Description:
P8CDTPEB	**Colour:** Black **Wire OD:** 8.0mm **Outer jacket:** EPS **Inner insulation:**EPDM/ DE/ Tape **Core:** Carbon core **Resistance:** 2500-5000 **Ω**/ft (8200-16400 **Ω**/m)

Qty Per Reel: 8,000 ft

Part No.:	Description:
P8MDTSSB_1200	**Colour:** Black **Wire OD:** 8.0mm **Outer jacket:** Silicone **Inner insulation:**Silicone/Tape/DE **Core:** Wire wound **Resistance:** 1200 **Ω**/ft (3936 **Ω**/m) ±10%

Qty Per Reel: 8,000 ft

Part No.:	Description:
P9.5MDBSSR	**Colour:** Red **Wire OD:** 9.5mm **Outer jacket:** Silicone **Inner insulation:**Silicone/DE/Braided **Core:** Maglite core **Resistance:** 500 **Ω** /ft (1640 **Ω** /m) ±10%

Qty Per Reel: 5,000 ft

Part No.:	Description:
P9.5MDBSSL	**Colour:** Blue **Wire OD:** 9.5mm **Outer jacket:** Silicone **Inner insulation:**Silicone/ DE/Braided **Core:** Maglite core **Resistance:** 500 **Ω** /ft (1640**Ω** /m) ±10%

Qty Per Reel: 5,000 ft